

Farne

Asplenium trichomanes

C 3

30-40

C 2

20-30

Asplenium / Phyllitis scolopendrium

C 2

20-30

Athyrium filix-femina „ Rotstiel „

C 2

30-40

C 3

30-40

Athyrium niponicum 'Burgundy Lace' -R-

C 2

20-30

C 3

30-40

Athyrium niponicum 'Metallicum'

C 2

30-40

C 3

30-40

Blechnum spicant

C 2

20-30

C 3

30-40

Cheilanthes lanosa „Cimbra“

C 2

20-30

C 3

20-30

Cyrtomium fortunei 'Clivicola'

C 2

20-30

C 3

20-30

Dicksonia antarctica

Sta C 10 Krone mehrj. Sth.

15-

Dryopteris affinis 'Crispa'

C 2

20-30

Dryopteris dilatata

C 3

30-40

Dryopteris erythrosora

C 3

30-40

Dryopteris erythrosora 'Autum'

C 2

20-30

Dryopteris filix-mas

C 3

30-40

Dryopteris filix-mas 'Mexico'

C 2 20-30
C 3 30-40

Matteuccia struthiopteris

C 2 20-30
C 3 30-40

Osmunda regalis

C 3 30-40

Polypodium vulgare 'Poldy'

C 2 20-30
C 3 30-40

Polystichum aculeatum 'Sculpta'

C 2 20-30

Polystichum setiferum 'Congestum', gen.

C 2 20-30
C 3 40-60

Polystichum setiferum 'Herrenhausen'

C 2 20-30
C 3 40-60

Polystichum setiferum 'Plumosum Densum'

C 3 40-60

Polystichum setiferum 'Proliferum', gen.

C 3 30-40

Polystichum tsus-simense 'Roca'

C 2 20-30
C 3 20-30